

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	67	"369".clas. and (temporary near3 (run\$1out lead\$1out ((run lead) adj1 out)))	US-PGPUB; USPAT	OR	ON	2008/01/04 21:44
S4	17	"369".clas. and (temporar\$3 near3 (run\$1out lead\$1out ((run lead) adj1 out))) and ((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface))	US-PGPUB; USPAT	OR	ON	2008/01/04 21:45
S3	73	"369".clas. and (temporar\$3 near3 (run\$1out lead\$1out ((run lead) adj1 out)))	US-PGPUB; USPAT	OR	ON	2008/01/04 21:45
S5	34	"369".clas. and (temporar\$3 near3 (run\$1out lead\$1out ((run lead) adj1 out))) and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path))	US-PGPUB; USPAT	OR	ON	2008/01/04 21:46
S7	779	sasaki-hiroyuki.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:51
S10	0	sasaki-hiroyuki.in. and (((incomplete ("not" adj1 complete\$2)) near3 (writ\$3 recording recorded)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:52
S9	0	sasaki-hiroyuki.in. and (((incomplete ("not" adj1 complete\$2)) near3 (written recorded)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:52
S8	1169	sasaki-hiroyuki.in. (((incomplete ("not" adj1 complete\$2)) near3 (written recorded)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:52
S11	0	sasaki-hiroyuki.in. and (((incomplete ("not" adj1 complete\$2)) near5 (writ\$3 recording recorded)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:54
S13	1892	"369".clas. and (((incomplete ("not" adj1 complete\$2)) near5 (writ\$3 recording recorded))) ((unrecorded unwritten blank) near3 (region area zone)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:57
S12	17	sasaki-hiroyuki.in. and (((incomplete ("not" adj1 complete\$2)) near5 (writ\$3 recording recorded))) ((unrecorded unwritten blank) near3 (region area zone)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:57

EAST Search History

S16	0	"369".clas. and ((compatab\$5 inter\$1chang\$7) same (((incomplete ("not" adj1 complete\$2)) near5 (writ\$3 recording recorded)) ((unrecorded unwritten blank) near3 (region area zone)))) and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:59
S15	0	"369".clas. and ((compatab\$5 inter\$1chang\$7) with (((incomplete ("not" adj1 complete\$2)) near5 (writ\$3 recording recorded)) ((unrecorded unwritten blank) near3 (region area zone)))) and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 21:59
S17	115	"369".clas. and (((incomplete ("not" adj1 complete\$2)) near5 (writ\$3 recording recorded)) ((unrecorded unwritten blank) near3 (region area zone))) same (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 22:01
S14	516	"369".clas. and (((incomplete ("not" adj1 complete\$2)) near5 (writ\$3 recording recorded)) ((unrecorded unwritten blank) near3 (region area zone))) and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/04 22:01
S6	6	"369".clas. and (temporar\$3 adj3 (run\$1out lead\$1out ((run lead) adj1 out))) and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path))	US-PGPUB; USPAT	OR	ON	2008/01/04 22:02

EAST Search History

S18	6	"369".clas. and (temporar\$3 adj3 (run\$1out lead\$1out ((run lead) adj1 out))) and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path)) and (run\$1out lead\$1out ((run lead) adj1 out))	US-PGPUB; USPAT	OR	ON	2008/01/04 22:04
S19	6	"369".clas. and (tlo (temporar\$3 adj3 (run\$1out lead\$1out ((run lead) adj1 out))) and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path)) and (run\$1out lead\$1out ((run lead) adj1 out))	US-PGPUB; USPAT	OR	ON	2008/01/04 22:05
S20	31	("20020030874" "20020114245" "20020159353" "20030033475" "20030048731" "20030048733" "20030058763" "20030133369" "20030223338" "20040057366" "20040090886" "20040133739" "20040160875" "20040165499" "20040213117" "20050030852" "20050030873" "20050036422" "20060067194" "5729525" "6370091" "6380091" "6552970" "6600704" "6606285" "6611483" "6711106" "6728174" "6853613" "6918003" "6986150").PN.	US-PGPUB; USPAT	OR	ON	2008/01/04 22:10
S22	20	("20020024902" "20020114245" "20020159353" "20030033475" "20030133369" "20030163638" "20030223338" "20040057366" "20040090886" "20040133739" "20040160875" "20040213117" "5881032" "5930225" "5966721" "0579525" "6072759" "6076135" "6154806" "6456584").PN.	US-PGPUB; USPAT	OR	ON	2008/01/04 22:24

EAST Search History

S21	4	("20020030874" "20020114245" "20020159353" "20030033475" "20030048731" "20030048733" "20030058763" "20030133369" "20030223338" "20040057366" "20040090886" "20040133739" "20040160875" "20040165499" "20040213117" "20050030852" "20050030873" "20050036422" "20060067194" "5729525" "6370091" "6380091" "6552970" "6600704" "6606285" "6611483" "6711106" "6728174" "6853613" "6918003" "6986150").PN. and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path)) and (run\$1out lead\$1out ((run lead) adj1 out))	US-PGPUB; USPAT	OR	ON	2008/01/04 22:24
S24	3875	"369".clas. and (eof (end adj2 file) run\$1out lead\$1out ((run lead) adj1 out))	US-PGPUB; USPAT	OR	ON	2008/01/10 21:45
S23	230	"369".clas. and (eof (end adj2 file))	US-PGPUB; USPAT	OR	ON	2008/01/10 21:45
S28	3	"369".clas. and (((eof (end adj2 file) with (run\$1out lead\$1out ((run lead) adj1 out))))	US-PGPUB; USPAT	OR	ON	2008/01/10 21:51
S27	0	"369".clas. and (((eof (end adj2 file) with (run\$1out lead\$1out ((run lead) adj1 out))) with (blank empty unrecorded unwritten gap))	US-PGPUB; USPAT	OR	ON	2008/01/10 21:51
S29	31	("20020030874" "20020114245" "20020159353" "20030033475" "20030048731" "20030048733" "20030058763" "20030133369" "20030223338" "20040057366" "20040090886" "20040133739" "20040160875" "20040165499" "20040213117" "20050030852" "20050030873" "20050036422" "20060067194" "5729525" "6370091" "6380091" "6552970" "6600704" "6606285" "6611483" "6711106" "6728174" "6853613" "6918003" "6986150").PN.	US-PGPUB; USPAT	OR	ON	2008/01/10 22:00
S26	18	"369".clas. and ((eof (end adj2 file) ((run\$1out lead\$1out ((run lead) adj1 out)) near3 (temporar\$3 temp))) with (blank empty unrecorded unwritten gap))	US-PGPUB; USPAT	OR	ON	2008/01/10 22:08

EAST Search History

S31	2	"369".clas. and ((eof (end adj2 file) tlo ((run\$1out lead\$1out ((run lead) adj1 out)) near3 (temporar\$3 temp))) with (otp (opposite near3 path) ((second upper lower n\$1th) near3 (layer))))	US-PGPUB; USPAT	OR	ON	2008/01/10 22:11
S30	2	"369".clas. and ((eof (end adj2 file) tlo ((run\$1out lead\$1out ((run lead) adj1 out)) near3 (temporar\$3 temp))) with ((second upper lower n\$1th) near3 (layer))))	US-PGPUB; USPAT	OR	ON	2008/01/10 22:16
S33	61	"369".clas. and ((eof (end adj2 file) tlo ((run\$1out lead\$1out ((run lead) adj1 out)) near3 (temporar\$3 temp))) and ((second upper lower) near3 (layer))))	US-PGPUB; USPAT	OR	ON	2008/01/10 22:17
S32	2	"369".clas. and ((eof (end adj2 file) tlo ((run\$1out lead\$1out ((run lead) adj1 out)) near3 (temporar\$3 temp))) same ((second upper lower) near3 (layer))))	US-PGPUB; USPAT	OR	ON	2008/01/10 22:17
S34	27	"369".clas. and ((eof (end adj2 file) tlo ((run\$1out lead\$1out ((run lead) adj1 out)) near3 (temporar\$3 temp))) and ((second upper lower) near3 (layer))) and (otp (opposite near3 path))	US-PGPUB; USPAT	OR	ON	2008/01/10 22:18
S35	6	"369".clas. and (temporar\$3 near3 middle near3 (region zone area))	US-PGPUB; USPAT	OR	ON	2008/01/10 22:19
S36	30	("20020114245" "20020159353" "20030033475" "20030048731" "20030048733" "20030058763" "20030133369" "20030223338" "20040057366" "20040090886" "20040133739" "20040160875" "20040165499" "20040213117" "20050030852" "20050030873" "20050030874" "20050036422" "20060067194" "5729525" "6370091" "6552970" "6600704" "6606285" "6611483" "6711106" "6728174" "6853613" "6918003" "6986150").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/11 08:24
L1	1	"369".clas. and ((opposite near3 path) otp) and ((dvd\$1rom near3 compatib\$5) near3 (\$3recordable \$3writable dvd-r dvd-rw))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/11 08:37
L3	113	"369".clas. and (initial\$7 with (lead\$1out (lead adj1 out) ((run\$1out (run adj1 out)) adj1 (area region zone))))	US-PGPUB; USPAT	OR	ON	2008/01/11 08:38

EAST Search History

L2	115	"369".clas. and (initial\$7 with (lead\$1out (lead adj1 out) ((run\$1out (run adj1 out)) adj1 (area region zone))))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/11 08:38
L4	26	"369".clas. and (initial\$7 with ((writ\$3 record\$3) near3 (lead\$1out (lead adj1 out) ((run\$1out (run adj1 out)) adj1 (area region zone))))	US-PGPUB; USPAT	OR	ON	2008/01/11 08:39
L6	3	"369".clas. and (initial\$7 with (((form\$3 writ\$3 record\$3) near3 (lead\$1out (lead adj1 out) ((run\$1out (run adj1 out)) adj1 (area region zone)))) and (((plural\$3 several multiple second upper lower) near3 (recording recordable writ\$4) near3 (layer surface)) otp (opposite adj1 track adj1 path))	US-PGPUB; USPAT	OR	ON	2008/01/11 08:40
L7	14	"369".clas. and (initializ\$5 with (((form\$3 writ\$3 record\$3) near3 (lead\$1out (lead adj1 out) ((run\$1out (run adj1 out)) adj1 (area region zone))))	US-PGPUB; USPAT	OR	ON	2008/01/11 08:41
L5	26	"369".clas. and (initial\$7 with (((form\$3 writ\$3 record\$3) near3 (lead\$1out (lead adj1 out) ((run\$1out (run adj1 out)) adj1 (area region zone))))	US-PGPUB; USPAT	OR	ON	2008/01/11 08:41
S25	268	"369".clas. and ((eof (end adj2 file) run\$1out lead\$1out ((run lead) adj1 out)) with (blank empty unrecorded unwritten gap))	US-PGPUB; USPAT	OR	ON	2008/01/11 08:44
L11	30	("20020114245" "20020159353" "20030033475" "20030048731" "20030048733" "20030058763" "20030133369" "20030223338" "20040057366" "20040090886" "20040133739" "20040160875" "20040165499" "20040213117" "20050030852" "20050030873" "20050030874" "20050036422" "20060067194" "5729525" "6370091" "6552970" "6600704" "6606285" "6611483" "6711106" "6728174" "6853613" "6918003" "6986150").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/11 08:48
L13	32	((run\$1out lead\$1out ((run lead) adj1 out)) with (blank empty unrecorded unwritten gap)) and ((run\$1out lead\$1out ((run lead) adj1 out)) with ((second upper lower) near3 layer)) and ((opposite near3 path) otp)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/01/11 09:01

EAST Search History

L10	26	"369".clas. and ((run\$1out lead\$1out ((run lead) adj1 out)) with (blank empty unrecorded unwritten gap)) and ((run\$1out lead\$1out ((run lead) adj1 out)) with ((second upper lower) near3 layer)) and ((opposite near3 path) otp)	US-PGPUB; USPAT	OR	ON	2008/01/11 09:01
L15	350	((run\$1out lead\$1out ((run lead) adj1 out)) with (blank empty unrecorded unwritten gap))	EPO; JPO	OR	ON	2008/01/11 09:02
L9	43	"369".clas. and ((run\$1out lead\$1out ((run lead) adj1 out)) with (blank empty unrecorded unwritten gap)) and ((run\$1out lead\$1out ((run lead) adj1 out)) with ((second upper lower) near3 layer))	US-PGPUB; USPAT	OR	ON	2008/01/11 09:02
L8	261	"369".clas. and ((run\$1out lead\$1out ((run lead) adj1 out)) with (blank empty unrecorded unwritten gap))	US-PGPUB; USPAT	OR	ON	2008/01/11 09:02
L18	1	"2000067511"	EPO; JPO	OR	ON	2008/01/11 09:52
L17	0	2000-067511	EPO; JPO	OR	ON	2008/01/11 09:52
L14	12	((run\$1out lead\$1out ((run lead) adj1 out)) with (blank empty unrecorded unwritten gap)) and ((run\$1out lead\$1out ((run lead) adj1 out)) with ((second upper lower) near3 layer))	EPO; JPO	OR	ON	2008/01/11 09:52
L19	4	(US-20030048733-\$.did. or (US-6370091-\$.did. or (JP-2002170338-\$.or JP-2000067511-\$.did.	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 09:56
L20	2	(US-20030048733-\$.did. or (US-6370091-\$.did. or (JP-2002170338-\$.or JP-2000067511-\$.did. and (pre\$1format\$3 with (lead\$1out))	US-PGPUB; USPAT; JPO	OR	ON	2008/01/11 10:01
S1	1	10/549638	US-PGPUB; USPAT	OR	ON	2008/01/11 11:24
L22	3	"369".clas. and ((otp (opposite near3 path)) same (((lead adj1 out) lead\$1out) with (mm)))	US-PGPUB; USPAT	OR	ON	2008/01/11 11:29
L23	2	"369".clas. and ((otp (opposite near3 path)) and (((lead adj1 out) lead\$1out) with (24mm 23mm 22mm ("22" "22."\$1 "24" "23."\$1 "23") adj1 mm))))	US-PGPUB; USPAT	OR	ON	2008/01/11 11:30
L26	7	"369".clas. and (((lead adj1 out) lead\$1out lo to) near5 (24mm 23mm 22mm ("22" "22."\$1 "24" "23."\$1 "23") adj1 mm)))	US-PGPUB; USPAT	OR	ON	2008/01/11 11:31

EAST Search History

L25	30	"369".clas. and (((lead adj1 out) lead\$1out) with (24mm 23mm 22mm ("22" "22."\$1 "24" "23."\$1 "23") adj1 mm)))	US-PGPUB; USPAT	OR	ON	2008/01/11 11:31
L27	7	"369".clas. and (((lead adj1 out) lead\$1out lo) near5 (24mm 23mm 22mm ("22" "22."\$1 "24" "23."\$1 "23") adj1 mm)))	US-PGPUB; USPAT	OR	ON	2008/01/11 11:52
L28	0	"369".clas. and (mm with access\$3 with ((second) near3 layer) with (insert\$3 load\$2 start\$1up (start\$3 adj1 up) ((detect\$3 determin\$5) near3 (type dual layer)) ((focal focus\$4) near3 offset)))	US-PGPUB; USPAT	OR	ON	2008/01/11 11:59
L30	251	"369".clas. and (rewritable rerecordable recordable writable) and (otp (opposite near3 path))	US-PGPUB; USPAT	OR	ON	2008/01/11 12:30
L32	117	"369".clas. and (rewritable rerecordable recordable writable) and ((otp (opposite near3 path)) same (second near3 layer))	US-PGPUB; USPAT	OR	ON	2008/01/11 12:31
L31	96	"369".clas. and (rewritable rerecordable recordable writable) and (otp (opposite near3 path)) with (second near3 layer)	US-PGPUB; USPAT	OR	ON	2008/01/11 12:31
L29	1	"369".clas. and (mm with ((second) near3 layer) with (insert\$3 load\$2 start\$1up (start\$3 adj1 up) ((detect\$3 determin\$5) near3 (type dual layer)) ((focal focus\$4) near3 offset)))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:11
L35	155	"369".clas. and (((recording writing) near3 (marks information data)) with ((second) near3 layer) with (insert\$3 load\$2 start\$1up (start\$3 adj1 up) ((detect\$3 determin\$5) near3 (type dual layer)) ((focal focus\$4) near3 offset)))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:12
L34	681	"369".clas. and (((second) near3 layer) with (insert\$3 load\$2 start\$1up (start\$3 adj1 up) ((detect\$3 determin\$5) near3 (type dual layer)) ((focal focus\$4) near3 offset)))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:12
L36	26	"369".clas. and (((recording writing) near3 (marks information data)) near4 (area region location position range zone) near5 ((second) near3 layer) with (insert\$3 load\$2 start\$1up (start\$3 adj1 up) ((detect\$3 determin\$5) near3 (type dual layer)) ((focal focus\$4) near3 offset)))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:13

EAST Search History

L37	19	"369".clas. and (((recording writing) near3 (marks information data)) near4 (area region location position range zone) near5 ((second) near3 layer) near5 (insert\$3 load\$2 start\$1up (start\$3 adj1 up) ((detect\$3 determin\$5) near3 (type dual layer)) ((focal focus\$4) near3 offset)))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:28
L38	21	"369".clas. and (((record\$3 writ\$3) near3 ((lead\$1out (lead adj1 out)) near3 (region area zone))) with (initializ\$5 background idle))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:35
L40	23	"369".clas. and (((record\$3 writ\$3 initializ\$5 formatted formatting forming formed creat\$3) near3 ((lead\$1out (lead adj1 out)) near3 (region area zone))) with (initializ\$5 background idle))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:40
L39	23	"369".clas. and (((record\$3 writ\$3 initializ\$5 formatted formatting) near3 ((lead\$1out (lead adj1 out)) near3 (region area zone))) with (initializ\$5 background idle))	US-PGPUB; USPAT	OR	ON	2008/01/11 13:40